



Guide for setting up an account in SQL Server to use the Lucid Database *

*** the Lucid Database is shared by all of the following Lucid products, for which this guide is intended:**

LASS Junior for Networks (Version 2 and 4)
LASS Secondary for Networks (Version 3 and 4)
Lucid Rapid for Networks (Version 2 and 4)
Lucid CoPS for Networks (Version 1 and 4)

Dec 2006


Lucid Research Limited

Copyright © Lucid Innovations Limited 2006


www.lucid-research.com

How to set up an account in SQL Server to access the Lucid Database from the networked versions of *LASS Junior*, *LASS Secondary*, *Lucid CoPS* and *Lucid Rapid*


1. Start the “Enterprise Manager” from the “Microsoft SQL Server” group. You can find this from “Start” → “Programs” on your server.
2. Once the enterprise manager starts expand the left tree under “Console Root” so that you can see all security options offered by SQL Server.




3. Right click on “Logins” then click on “New Login...”




From the “General” tab enter “**LucidUser**” for the login “Name”. Click on the “SQL Server Authentication” radio button. Then from the “Database” drop down select “LUCID” as the default database for this login. For the “Password” for this account enter “**ZX123AB**” (upper case without quotes). Then click on the “Database Access” tab.




4. From the “Database Access” tab click on the “Permit” tick box for “LUCID”. Then click on “public” and “db_owner” for the “Database roles for ‘LUCID’”. Finally click on “OK”.



5. You will be prompted to enter the password you have assigned to this account. In this case enter “ZX123AB” again and then click on “OK”.



6. From “Logins” a new user account will then appear. By default this account will only have access to the “LUCID” database and no other. When setting up ODBC DSN for your Lucid software you should use these account details to access SQL Server, i.e. **LucidUser** and **ZX123AB**.



7. If you wish to make use of a different account name and password you may substitute your own user name and password instead of the default ones provided (“LucidUser” and “ZX123AB”).

Important: You will also need to manually modify the contents of the file called `LucidDB.ini` which is normally to be found on each workstation within the folder:

`C:\Program Files\LucidResearch\Lucid Product\system`

(where the name of your particular software product will be substituted for `\Lucid Product\` above).

The contents of `LucidDB.ini` used by default are shown below, you should change the values which follow the equal signs to whatever user name and password you wish to use instead:

```
[LUCID DATABASE]
lastuser=LucidUser
password=ZX123AB
```

Finally, If you wish to change any security settings then you should consult a member of staff with SQL Server expertise as this is beyond the scope of this guide.
